




## Espresso Coffee Machine



- It can be used with both coffee soft pods as well as the ground coffee or espresso.
- Also the preparation of hot water for tea or convenience drinks is possible.
- Short brewing time - delicious, freshly brewed coffee with rich crema.
- Reversible pod holder for inserting either one or two coffee pods resp. coffee powder.
- Coffee outlet is adjustable in height (distance to the grating: 95 up to 105 mm).
- Removable drip tray.
- Detachable, self-standing, transparent water container with a capacity of 1.8 l (for approx. 14 cups), water level indicator and practical recessed grip for an easy handling.
- Automatic switch-off after 1 hour without operation.
- 2 start buttons for either 1 or 2 cups.
- Filling quantity of both start buttons is individually programmable.
- 1 control lamp red / green: function indication.
- 1 control lamp yellow: de-scaling program. Programmed de-scaling procedure.
- Electronic temperature control, boil-dry cut-out and overheating protection.
- Hot-water boiler made of stainless steel.
- Cable reel facility at the bottom part.
- Non-slip placement.
- Operating pressure: 1.5 - 2 bar max.
- Nominal voltage: 220 - 240 V~, 1600 W

coffee technologies

Eldom Rothrist AG  
Helblingstrasse 12  
CH-4852 Rothrist

T +41 62 794 04 68  
F +41 62 794 10 68  
[www.eldom.com](http://www.eldom.com)



**eldom**  
coffee technologies 



## Espresso Pod System

### Features and benefits:

- For espresso-brewing with pods
- Cappuccino-steam nozzle
- Operating panel for easy handling
- Thermoblock heating system
- Selector for espresso, hot water or steam
- Adjustable coffee outflow
- Automatic ejection of used pods
- Drip tray with overflow indicator
- Removable 1.4 liter water tank
- ABS plastic housing
- Cord storage

### Technical Data:

- 16 bar pump
- 230 V / 50 hz /1000 W
- Dimension: 295x290x280 mm
- Weight: 4,6 kg
- Water tank: 1.4 liter

coffee technologies

Eldom Rothrist AG  
Helblingstrasse 12  
CH-4852 Rothrist

T +41 62 794 04 68  
F +41 62 794 10 68  
[www.eldom.com](http://www.eldom.com)



## DoublePod *Design I*

### Features and benefits:

- For brewing with SENSEO type coffee pods
- Three-choice cup selection: small, medium, large
- Single or double pod brewing feature
- Automatic expulsion of the pod into the container
- Removable 1,5 L water tank
- Removable drip tray
- Thermo block heating unit

### Technical Data:

- 15 bar pump
- 120V/1400 W; 230V/1550 W
- Water tank: 1,5 L

coffee technologies

Eldom Rothrist AG  
Helblingstrasse 12  
CH-4852 Rothrist

T +41 62 794 04 68  
F +41 62 794 10 68  
[www.eldom.com](http://www.eldom.com)



## DoublePod *Design II*

### Features and benefits:

- For brewing with SENSEO type coffee pods
- Three-choice cup selection: small, medium, large
- Single or double pod brewing feature
- Automatic expulsion of the pod into the container
- Removable 1,5 L water tank
- Removable drip tray
- Thermo block heating unit

### Technical Data:

- 15 bar pump
- 120V/1400 W; 230V/1550 W
- Water tank: 1,5 L

coffee technologies

Eldom Rothrist AG  
Helblingstrasse 12  
CH-4852 Rothrist

T +41 62 794 04 68  
F +41 62 794 10 68  
[www.eldom.com](http://www.eldom.com)



## DoublePod *Design III*

### For Espresso-Pods

#### Features and benefits:

- For brewing with ESE type espresso pods
- Three-choice cup selection: small, medium, large
- Automatic expulsion of the pod into the container
- Steam nozzle for steam and hot water
- Removable 1,5 L water tank
- Removable drip tray
- Thermo block heating unit

#### Technical Data:

- 15 bar pump
- 120V/1400 W; 230V/1550 W
- Water tank: 1,5 L

### For Soft Coffee-Pods

#### Features and benefits:

- For brewing with SENSEO type coffee pods
- Three-choice cup selection: small, medium, large
- Single or double pod brewing feature
- Automatic expulsion of the pod into the container
- Steam nozzle for steam and hot water
- Removable 1,5 L water tank
- Removable drip tray
- Thermo block heating unit

#### Technical Data:

- 15 bar pump
- 120V/1400 W; 230V/1550 W
- Water tank: 1,5 L

coffee technologies

Eldom Rothrist AG  
Helblingstrasse 12  
CH-4852 Rothrist

T +41 62 794 04 68  
F +41 62 794 10 68  
[www.eldom.com](http://www.eldom.com)